

PREVALENT MEDICAL CONDITION — ANAPHYLAXIS Plan of Care				
STUDENT INFORMATION				
Student Name	Date Of Birth	Student Photo (optional)		
Ontario Ed. #	Age			

EMERGENCY CONTACTS (LIST IN PRIORITY)			
NAME	RELATIONSHIP	DAYTIME PHONE	ALTERNATE PHONE
1.			
2.			
3.			

AUTO-INJECTOR INORMATION				
	CHECK (✓) THE APPROPRIATE BOXES		
			- -	
Epinephrine	Auto-Injector(s) Expiry Date	e (s):		
Dosage:	☐ EpiPen® Jr. t 0.15 mg	☐ EpiPen® 0.30 mg		
☐ Student will carry their Auto-Injector at all times including during recess, gym, outdoor and off-site activities. Auto-Injector is kept in the student's: ☐ Pocket ☐ Backpack/fanny pack ☐ Case/pouch ☐ Other (specify):				
☐ Student will not carry their Auto-Injector. Specify location (must be readily accessible):				
Does student require assistance to administer Auto-Injector? ☐ Yes ☐ No				

KNOWN LIFE THREATENING TRIGGERS CHECK (✓) THE APPROPRIATE BOXES ☐ Previous anaphylactic reaction: **Student is at greater risk.** ☐ Has asthma. **Student is at greater risk**. If student is having a reaction and has difficulty breathing, give epinephrine before asthma medication. ☐ Any other medical condition or allergy? ______ DAILY/ROUTINE ANAPHYLAXIS MANAGEMENT SYMPTOMS A STUDENT HAVING AN ANAPHYLACTIC REACTION MIGHT HAVE ANY OF THESE SIGNS AND SYMPTOMS: • **Skin system**: hives, swelling (face, lips, tongue), itching, warmth, redness. • Respiratory system (breathing): coughing, wheezing, shortness of breath, chest pain or tightness, throat tightness, hoarse voice, nasal congestion or hay fever-like symptoms (runny, itchy nose and watery eyes, sneezing), trouble swallowing. • Gastrointestinal system (stomach): nausea, vomiting, diarrhea, pain or cramps. • Cardiovascular system (heart): paler than normal skin colour/blue colour, weak pulse, passing out, dizziness or light-headedness, shock. • Other: anxiety, sense of doom (the feeling that something bad is about to happen), headache, uterine cramps, metallic taste. EARLY RECOGNITION OF SYMPTOMS AND IMMEDIATE TREATMENT **COULD SAVE A PERSON'S LIFE. Avoidance** of an allergen is the main way to prevent an allergic reaction. Food Allergen(s): eating even a small amount of a certain food can cause a severe allergic reaction. Food(s) to be avoided: Safety measures: _____ **Insect Stings**: Risk of insect stings is higher in warmer months. Avoid areas where stinging insects nest or congregate. Destroy or remove nests, cover or move trash cans, keep food

indoors.

Designated eating area inside school building:
Safety measures:
Other information:

EMERGENCY PROCEDURES (DEALING WITH AN ANAPHYLACTIC REACTION)

ACT QUICKLY. THE FIRST SIGNS OF A REACTION CAN BE MILD, BUT SYMPTOMS CAN GET WORSE QUICKLY.

STEPS

- 1. Give epinephrine auto-injector (e.g. EpiPen®) at the first sign of a known or suspected anaphylactic reaction.
- 2. Call 9-1-1. Tell them someone is having a life-threatening allergic reaction.
- 3. Give a second dose of epinephrine as early as five (5) minutes after the first dose if there is no improvement in symptoms.
- 4. Follow direction of emergency personnel, including transport to hospital (ideally by ambulance), even if symptoms are mild or have stopped. The reaction could worsen or come back, even after treatment. Stay in the hospital for an appropriate period of observation as decided by the emergency department physician (generally about 4 6 hours).
- 5. Call emergency contact person; e.g. Parent(s)/Guardian(s).

HEALTHCARE PROVIDER INFORMATION (OPTIONAL)

Plan for Student Transportation

	1	1
Individual Student Boarding	Individual Student Securement	Individual Student De-Boar

Roles

School Staff	Parent/Guardian	Student	Transportation	Operator/Driver
			Provider	
-Create and monitor	-Communicate with	-Follow the bus rules	-Ensure that all	-Ensure that the
this plan with	the school any	and strategies listed	drivers and monitors	student is transported
parents/guardians,	medical or other	on this plan.	staffed to transport	safety according to
student, TriBoard,	conditions affecting	-Advise the driver of	the student are aware	needs listed on this
and school staff.	the safe	any medical	of the strategies	plan.
-Advise TriBoard and	transportation of the	emergency, or health	listed in this plan.	-Follow TriBoard and
parents/guardians of	student for	issues that they are	-Ensure that all	School Board policies
relevant issues while	completion of this	experiencing while	temporary staff that	and procedures for
at school during the	plan.	being transported.	transport the student	transporting students
day.			are aware of the	with disabilities.

driver deliver and monitor the needs of the student while transporting them. place regarding boarding, securing, and de-boarding practices to transport student.

AUTHORIZATION / USE OF INFORMATION / PLAN REVIEW				
INDIVIDUALS WITH WHOM THIS PLAN OF CARE IS TO BE SHARED				
1	2		3	
4	5		6	
Other individuals to be conta	acted regarding	g Plan Of Care:		
Before-School Program	□Yes	□ No		
After-School Program	☐ Yes	□ No		
School Bus Driver/Route # (If Applicable) _			
Other:				
All bus drivers are certified in the administration of First Aid, CPR, and Epi-Pen. These are the only medical procedures a driver may perform. In the event of a student showing signs of medical distress during travel on the school bus, the driver will stop the vehicle in the first safe location, assess the situation, determine if an epi-pen needs to be administered, immediately contact the Bus Operator to request emergency services. The driver will remain with the student until the arrival of the emergency services team. Should a bus driver have occasion to administer First Aid, CPR, or an Epipen, he/she does so in applying the "in loco parentis" principle, not as a health care professional. Visit triboard.ca for complete procedure details. (Triboard)				
I consent to the disclosure and use of the personal information collected herein to persons, including persons who are not employees of the Limestone District School Board through the posting of photographs and medical information of my child (Plan of Care/Emergency Procedures) in the following key locations:				
☐ classroom	dother:			
□ office				

This plan remains in effect will be reviewed on or bef		— 20 school year without change and
(It is the parent(s)/guardian(the plan of care during the s	. , .	notify the principal if there is a need to change
Parent(s)/Guardian(s):	Signature	Date:
Student:	Signature	Date:
Principal:	Signature	Date:
☐ Please Note: Check	xed box indicates th	at this student has an additional Plan of Care